

RAUVISIO shade™ Super-Matte PET Surface Board

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO shade technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO shade technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO shade technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO shade Super-Matte PET Surface Board by REHAU Industries

- A. Approved product: REHAU's RAUVISIO shade Super-Matte PET Surface Board
 - 1. RAUVISIO ferro Metallic PET Surface Board fabricated by approved fabricator
 - a. 19.3 mm RAUVISIO shade Super-Matte PET Surface Board White 154419
 - b. 19.3 mm RAUVISIO shade Super-Matte PET Surface Board Light Grey 154420
 - c. 19.3 mm RAUVISIO shade Super-Matte PET Surface Board Stone Grey 154422
 - d. 19.3 mm RAUVISIO shade Super-Matte PET Surface Board Dark Grey 154421
 - e. 19.3 mm RAUVISIO shade Super-Matte PET Surface Board Black 154418

2.3 RAUVISIO shade matching edgbanding by REHAU Industries

A. Approved product: REHAU LaserEdge™ Elegant Matte edgbanding

1. RAUVISIO shade Elegant Matte REHAU LaserEdge edgbanding, fabricated by approved manufacturer
 - a. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte White C100295
 - b. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Light Grey C600732
 - c. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Stone Grey C600746
 - d. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Dark Grey C600731
 - e. 15/16" x 1.2 mm REHAU LaserEdge Elegant Matte Black C600730

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO shade technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO shade technical information

www.rehau.com/downloads/1206258/rauvio-shade-technical-guide.pdf

4.2 RAUVISIO shade board limited warranty

www.rehau.com/downloads/1532224/rauvio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO shade edgeband limited warranty

www.rehau.com/downloads/734738/standard-purchase-terms-and-conditions.pdf

4.4 RAUVISIO shade

na.rehau.com/shade



RAUVISIO shade™ Super-Matte PET Surface Cabinet Doors

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO shade technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO shade technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO shade technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO shade Super-Matte PET Surface Cabinet Doors by REHAU Industries

- A. Approved product: REHAU's RAUVISIO shade Super-Matte PET Surface Cabinet Doors
 - 1. RAUVISIO ferro Metallic PET Surface Cabinet Doors fabricated by approved fabricator
 - a. 19.3 mm RAUVISIO shade Super-Matte PET Surface Cabinet Doors White 154419
 - b. 19.3 mm RAUVISIO shade Super-Matte PET Surface Cabinet Doors Light Grey 154420
 - c. 19.3 mm RAUVISIO shade Super-Matte PET Surface Cabinet Doors Stone Grey 154422
 - d. 19.3 mm RAUVISIO shade Super-Matte PET Surface Cabinet Doors Dark Grey 154421
 - e. 19.3 mm RAUVISIO shade Super-Matte PET Surface Cabinet Doors Black 154418

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO shade technical information using screw on European concealed hinges.

3.3 Protection

A. Protect installed product until completion of project.

B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO shade technical information

www.rehau.com/downloads/1206258/rauvizio-shade-technical-guide.pdf

4.2 RAUVISIO shade cabinet door limited warranty

www.rehau.com/downloads/1532224/rauvizio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO shade

na.rehau.com/shade