

RAUVISIO ingrain™ Wood Fiber Laminate Surface CPL Laminate

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO ingrain technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO ingrain technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO ingrain technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate by REHAU Industries

- A. Approved product: REHAU's RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate
 - 1. RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate fabricated by approved fabricator
 - a. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Heirloom Oak 1318
 - b. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Windswept Pine 1824
 - c. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Steel Oak 1349
 - d. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Acacia Oak 1343
 - e. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Roasted Oak 1345
 - f. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Seaside Pine 1823
 - g. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Sunlit Pine 1827
 - h. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Honeycomb Oak 1348

- i. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Milestone Maple 1502
- j. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Nomad Oak 1338
- k. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Dawning Ash 1509
- l. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Bourbon Teak 1831
- m. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Cognac Pine 1826
- n. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Whispering Walnut 1125
- o. 0.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface CPL Laminate Charred Ebony 1960

2.3 RAUVISIO ingrain matching edgebanding by REHAU Industries

A. Approved product: REHAU LaserEdge™ edgebanding

1. RAUVISIO ingrain REHAU LaserEdge Duo-gloss edgebanding, fabricated by approved manufacturer

- a. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Heirloom Oak CP41525
- b. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Windswept Pine CP41524
- c. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Steel Oak CP60614
- d. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Acacia Oak CP41530
- e. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Roasted Oak CP41494
- f. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Seaside Pine CP60626
- g. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Sunlit Pine CP21125
- h. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Honeycomb Oak CP21142
- i. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Milestone Maple CP41531
- j. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Nomad Oak CP41526
- k. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Dawning Ash CP60627
- l. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Bourbon Teak CP41527
- m. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Cognac Pine CP41529
- n. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Whispering Walnut CP41528
- o. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Charred Ebony CP60628

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO ingrain technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO ingrain technical information

www.rehau.com/downloads/1193884/rauvisio-ingrain-technical-information.pdf

4.2 RAUVISIO ingrain CPL laminate limited warranty

www.rehau.com/downloads/1532224/rauvisio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO ingrain edgeband limited warranty

www.rehau.com/downloads/734738/standard-purchase-terms-and-conditions.pdf

4.4 RAUVISIO ingrain

na.rehau.com/ingrain



RAUVISIO ingrain™ Wood Fiber Laminate Surface Board

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO ingrain technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO ingrain technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO ingrain technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO ingrain Wood Fiber Laminate Surface Board by REHAU Industries

- A. Approved product: REHAU's RAUVISIO ingrain Wood Fiber Laminate Surface Board
 - 1. RAUVISIO ingrain Wood Fiber Laminate Surface Board fabricated by approved fabricator
 - a. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Heirloom Oak 1318
 - b. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Windswept Pine 1824
 - c. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Steel Oak 1349
 - d. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Acacia Oak 1343
 - e. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Roasted Oak 1345
 - f. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Seaside Pine 1823
 - g. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Sunlit Pine 1827
 - h. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Honeycomb Oak 1348

- i. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Milestone Maple 1502
- j. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Nomad Oak 1338
- k. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Dawning Ash 1509
- l. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Bourbon Teak 1831
- m. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Cognac Pine 1826
- n. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Whispering Walnut 1125
- o. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Board Charred Ebony 1960

2.3 RAUVISIO ingrain matching edgebanding by REHAU Industries

A. Approved product: REHAU LaserEdge™ edgebanding

1. RAUVISIO ingrain REHAU LaserEdge Duo-gloss edgebanding, fabricated by approved manufacturer
 - a. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Heirloom Oak CP41525
 - b. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Windswept Pine CP41524
 - c. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Steel Oak CP60614
 - d. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Acacia Oak CP41530
 - e. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Roasted Oak CP41494
 - f. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Seaside Pine CP60626
 - g. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Sunlit Pine CP21125
 - h. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Honeycomb Oak CP21142
 - i. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Milestone Maple CP41531
 - j. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Nomad Oak CP41526
 - k. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Dawning Ash CP60627
 - l. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Bourbon Teak CP41527
 - m. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Cognac Pine CP41529
 - n. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Whispering Walnut CP41528
 - o. 15/16" x 1.2 mm REHAU LaserEdge Duo-gloss Charred Ebony CP60628

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO ingrain technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO ingrain technical information

www.rehau.com/downloads/1193884/rauvizio-ingrain-technical-information.pdf

4.2 RAUVISIO ingrain board limited warranty

www.rehau.com/downloads/1532224/rauvizio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO ingrain edgeband limited warranty

www.rehau.com/downloads/734738/standard-purchase-terms-and-conditions.pdf

4.4 RAUVISIO ingrain

na.rehau.com/ingrain



RAUVISIO ingrain™ Wood Fiber Laminate Surface Cabinet Doors

Section 06400

Architectural millwork specification information

01 General

1.1 Related sections

- A. Section 06410 – Custom cabinets
- B. Section 12320 – Manufactured wood casework
- C. Section 12350 – Specialty casework

1.2 Submittals

- A. Submit under provisions of Section 01300
- B. Manufacturer's data sheets on product being used
 - 1. RAUVISIO ingrain technical information

1.3 Quality assurance and testing

- A. Installer qualifications: Cabinet/millwork professional
- B. Testing information can be found in the RAUVISIO ingrain technical information

1.4 Storage and handling

- A. Store products in manufacturer's unopened packaging until ready for installation.
- B. Store in dry, protected, well-ventilated area and protect from damage.
- C. Store away from dust and debris.

1.5 Safety

- A. To ensure safety and proper use of the product, follow manufacturer's safety guidelines found in the RAUVISIO ingrain technical information.

1.6 Project conditions

- A. Maintain environmental conditional (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimal results. Do not install products under environmental conditions outside manufacturer's absolute limits.

1.7 Warranty

- A. Provide manufacturer's limited warranty

02 Products

2.1 Manufacturers

- A. Acceptable Manufacturer: REHAU Industries LLC
 - 1501 Edwards Ferry Road NE Leesburg, VA 20176
 - (703) 777-5255 | info@rehau.com | www.rehau.com/us-en
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

2.2 RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors by REHAU Industries

- A. Approved product: REHAU's RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors
 - 1. RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors fabricated by approved fabricator
 - a. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Heirloom Oak 1318
 - b. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Windswept Pine 1824
 - c. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Steel Oak 1349
 - d. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Acacia Oak 1343
 - e. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Roasted Oak 1345
 - f. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Seaside Pine 1823
 - g. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Sunlit Pine 1827
 - h. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Honeycomb Oak 1348

- i. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Milestone Maple 1502
- j. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Nomad Oak 1338
- k. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Dawning Ash 1509
- l. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Bourbon Teak 1831
- m. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Cognac Pine 1826
- n. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Whispering Walnut 1125
- o. 19.5 mm RAUVISIO ingrain Wood Fiber Laminate Surface Cabinet Doors Charred Ebony 1960

03 Execution

3.1 Examination

A. Do not begin installation until all products are properly prepared and hardware installed.

3.2 Installation

A. Install in accordance to manufacturer's instructions found in the RAUVISIO ingrain technical information using screw on European concealed hinges.

3.3 Protection

- A. Protect installed product until completion of project.
- B. Remove peel coat after installation of product.

04 Links

4.1 RAUVISIO ingrain technical information

www.rehau.com/downloads/1193884/rauvio-ingrain-technical-information.pdf

4.2 RAUVISIO ingrain cabinet door limited warranty

www.rehau.com/downloads/1532224/rauvio-panel-and-finished-component-limited-warranty.pdf

4.3 RAUVISIO ingrain

na.rehau.com/ingrain

