
C REHAU 德国瑞好



BREATHE 2 AIR PURIFIER USER MANUAL

TABLE OF CONTENT

Important Safety Instruction	3
Product Introduction	4
Overview	4
Inside Structure	4
Display	5
Sensor Module	6
Air Purifier Set-up	6
Preparation	6
Start Air Purifier	7
Filter Replacement	7
Preparation	7
Filter replacement	8
Filter Lifetime Indication	8
Replacing Filter	8
Care and Maintenance	9
Basic Rules	9
Firmware Update	9
Pre-filter Maintenance	9
Lifting instruction	9
Consumer Warranty Terms and Condit	tions 10
Limited Warranty	10
Limited Warranty Conditions	10

Software version 0.0.8 Hardware version B00 Frequency Range: 2.412~2.484GHz

Maximum RF Output Power:

802.11b: 18.5 dBm / 802.11g: 16.5 dBm / 802.11n: 15.5 dBm

All technical specifications are subject to change without prior notice.

The user manual is constantly improving, the latest version can be found in the "REHAU Home" APP.

2

IMPORTANT SAFETY INSTRUCTIONS




Before using BREATHE 2 by REHAU air purifier, the following precautions should always be observed. Examples of these factors include, but are not limited to:

- 1. Do not use outdoors.
- 2. Do not splash water on the air purifier or soak it in water or other liquids.
- 3. Make sure the voltage of the air purifier indicated corresponds to the local voltage before connecting it.
- 4. Always disconnect the power supply from the device by unplugging the power cable before adding or removing parts and before cleaning.
- 5. Do not operate the air purifier under the following circumstances:
 - It has a damaged power cord or plug
 - The fan motor fails to rotate or doesn't work properly
 - It has been covered by water
- 6. Do not use the air purifier in areas with very high concentration of dust or powder to prevent the danger of dust explosion.
- 7. Do not use the air purifier in explosive areas.
- 8. Do not use the air purifier in very humid place (e. g. Bathroom and laundry room etc.) or place next to a humidifier.
- 9. Do not use the air purifier near sources of heat, such as radiators, fireplaces or ovens.
- 10. Keep the power cord away from heated surfaces.
- 11. Do not obstruct the air inlet and air outlet of the air purifier.
- 12. Do not place the air purifier on a soft surface such as a bed or other soft furnishings.
- 13. Make sure the machine stands upright at all time.
- 14. Only use REHAU filters.
- 15. Protect the power cord from being walked on or pinched.
- 16. This air purifier can be used by persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the air purifier in a safe way and understand the hazards involved.
- 17. This air purifier can only be used by children aged from 8 years and above, children shall not play with the air purifier, cleaning and user maintenance shall not be made by children without supervision.
- 18. The RF exposure information: To maintain compliance with the RF exposure requirement, a separation distance of 20 cm between the device and the human should be maintained.

3


PRODUCT INTRODUCTION

Overview



PRODUCT INTRODUCTION

Inside structure



PRODUCT INTRODUCTION


Display

PM2.5 Value

PM2.5 (µg/m³) value is shown on the display.

Control Button

- 1. Running: Once you plug in the power cable, the air purifier is in stand-by mode. Press and hold control button for longer than 3 seconds until you hear a 'beep' sound, the air purifier will be in auto mode, the auto mode icon is on and PM2.5 value is shown on display.
- 2. Stand by: When the air purifier is running, press and hold control button for longer than 3 seconds until you hear a 'beep' sound, the air purifier will be in stand by mode.
- 3. Switch mode: Short press on the control button, the air purifier switch mode among Auto, Low, Medium, High and Night mode and corresponding icon is on.



TWI-Fi Status Icon

- 1. Icon is off The air purifier Wi-Fi connection is offline
- 3. Icon flash The air purifier is waiting for Wi-Fi pairing
- 4. Icon is on The air purifier Wi-Fi connection is online

A Auto Mode Icon

In auto mode, the fan speed will be adjusted automatically depending on the air quality. The air purifier will switch among Low (-), Medium (≠) and High (≢) mode.

Activated Carbon Filter Status Icon

When the filter lifetime has reached below 30 days, the activated carbon filter status icon will flash red and we recommend to change the filter. The icon will show constant red color when the lifetime is over.


Particle Filter Status Icon

When the filter lifetime has reached below 30 days, the activated carbon filter status icon will flash red and we recommend to change the filter. The icon will show constant red color when the lifetime is over.

Once you set up night mode, the air purifier will run at low speed and display is off to provide you with quiet and comfy sleeping environment.

5

Sensor Module





Activated Carbon Filter Reset Button When activated carbon filter status icon flash in red, we suggest you change the filter. After changing the filter, press and hold the button for longer than 3 seconds until you hear a 'beep' sound, the reset process is complete.



Wi-Fi Reset Button

Open the back door when the air purifier is in stand-by mode, press and hold the button for longer than 3 seconds until you hear a 'beep' sound, the Wi-Fi status icon will flash. Please open 'REHAU HOME' APP and pair the air purifier by following instructions on APP.




Particle Filter Reset Button When particle filter status icon flash in red, we suggest you change the filter. After changing the filter, press and hold button for longer than 3 seconds until you hear a 'beep' sound, the reset process is complete.

AIR PURIFIER SET-UP


Preparation



1. Open the back door and remove both filters.



- 3. Put the activated carbon filter back to upper side and put the particle filter back to lower side, plug in the power cable underneath the back door and you will hear a 'beep' sound. Press and hold the buttons for longer than 3 seconds until you hear a 'beep' sound, close the back door.



6



Start Air Purifier

1.1 The air purifier is in self-check, the progress bar on display is full when self-check process is complete.



1.2 If self-check fails, error code will be shown on display. If there are multiple errors occurring, error code will be shown circularly. Please contact local dealer or call customer service hotline: 400-828-4066.

Motor Error	0000 0000 0 0 0 0 0 0000 0 0 0 0 0 0 0 0 0 0 0
Temperature / Humidity Sensor Error	0000 0000 0000
CO2 Sensor Error	0000 0000 0000
PM2.5 Sensor Error	0000 0000 0 0

External Flash Memory Error	0000 0000 0000 0
HCHO Sensor Error	***************************************
TVOC Sensor Error	0000 0000 0000
Back Door Open	000 000 000 0 0 0 0 0 0 0 0

2.1 Press and hold control button for longer than 3 seconds until you hear a 'beep' sound, the air purifier will be in auto mode, the auto mode icon is on and PM2.5 value is shown on display.



AIR PURIFIER PAIRING WITH APP

Preparation

- 1. Connect Wi-Fi
 - Make sure that your phone is connected to Wi-Fi. Do not use the Wi-Fi which requires verification via browser. BREATHE only supports 2.4 GHz Wi-Fi.
- 2. Download APP
 Scan the QR codes on the right or
 search "REHAU Home" from IOS and
 Android APP store to download the App.
- 3. Pair Device
 Please pair the device by following instructions on APP.







Android

FILTER REPLACEMENT

Filter lifetime indication

When filter lifetime is more than 30 days, filter icon is off.

When filter lifetime is less than 30 days, filter icon flash in red.

When filter lifetime is over, filter icon is in red.

If you have paired the air purifier, you can also check filter lifetime status through APP.

You can use "REHAU Home" APP or go to REHAU JD.com online store to order new filters. You can also scan the QR code on the filter which will direct you to REHAU website to purchase new filters. The APP will notify the user when it's time to change the filter.

Replacing filter

Turn off and unplug the air purifier before moving, cleaning and replacing the filter.



1. Open back door and remove the old filter.



2. Unpack the new filters.



3. Put the activated carbon filter in upper side and put the particle filter in lower side, plug in the power cable, make sure the air purifier is in stay-by mode and press and hold the buttons for longer than 3 seconds until you hear a 'beep' sound, the reset process is complete. Close the back door, restart the air purifier.

CARE AND MAINTENANCE

Basic rules

- Please read the "Important safety instructions" on page 3 carefully.
- Do not use the air purifier near high temperature and humid areas such as rest rooms.

Firmware update

Once a new firmware is available, the device will get updated while connected to the Internet. Display will be shown as the picture. This process will start automatically and may take about one minute to complete. During this time, the air purifier can't be controlled. Do not turn off the air purifier during firmware update.




Pre-filter maintenance

We recommend to clean the pre-filter once every 3 months for optimum performance.







 Use a brush or vacuum cleaner to clean the pre-filter.



3. Put the pre-filter back in the air purifier, close back door.

Lifting instruction



1. Do not lift the air purifer using the door handle



2. Lift air purifier from the botthom straight up.

CONSUMER WARRANTY TERMS AND CONDITIONS

Limited warranty

- [REHAU Polymers (Suzhou) Co., Ltd] ("Rehau") hereby guarantees to the original retail purchaser ("Consumer" or "You") that its [BREATHE 2] Products ("Product") are free from defects in material, design and workmanship under normal use in accordance with the operating instructions and pursuant to the following terms and conditions.
- 2. The limited warranty period covers **TWO** (2) years for Product from the date of purchase (i.e. the issuing date of invoice or receipt) as documented by valid proof of purchase e.g. official receipt, original invoice, and certificate of purchase or any similar valid documents indicating clearly the following information: dealer's name/stamp, date of purchase, product model and serial number. Non-compliance of the required proof of purchase may delay and void the application of the limited warranty.
- During the limited warranty period, REHAU or its authorized service provider will repair without charging the
 defective unit inclusive of labor and parts and restore the unit to its optimum working condition. All defective
 parts used for the warranty repair should be returned to REHAU or to its authorized servicer.
- 4. Any free repair or replacement in this Limited Warranty EXCLUDES filters which are consumables.
- 5. The Limited Warranty is applicable in mainland China only, excluding Hong Kong, Macao and Taiwan.

Limited warranty conditions

6. Seven (7)-Day Free Return

In the event of defectiveness in Product material, design and workmanship found within seven (7) days from the date of purchase, you may choose to repair the Product or replace the Product with the same model and specification, or return the Product to the Retailer. You are advised to contact our Customer Care Center at [400-828-4066] or email [breathe.customerservice@rehau.com] to check whether the warranty conditions are met before action.

7. Fifteen (15)-Day Free Replacement

In the event of defectiveness in Product material, design and workmanship found within fifteen (15) days from the date of purchase, you may choose to repair the Product or replace the Product with the same model and Specification.

8. Two (2)-year Free Repair

In the event of defectiveness in Product material, design and workmanship found within two (2) years from the date of purchase, we offer free repair. Please see warranty range for details of which circumstances is not covered by the free maintenance.

9. Free Periodical Software Update

We offer free periodical software update in order to ensure the optimal user experience.

10

9

10. This Limited Warranty does not cover:

- Claims for loss of use/inconveniences due to any malfunction, damages caused by lightning, water
 or other liquid intrusion, fire, flood, accident, computer virus attack, negligence, misuse or improper
 handling/operation, damages to filters.
- Product that has been damaged due to installation, disassembly, repairs, alteration or modification by non-authorized service or organizations or persons.
- Damage caused by man-made damage, including poor transportation, abnormal operation and usage or that hasn't followed the usage guide of the User Manual.
- Product label specifying the model number, serial number and production code that has been removed and altered
- Defects or parts requiring replacement due to ordinary wear and tear, corrosion, rust or stains, dents on the casing or paintwork of the product.
- Defects or faults in product which have been used for commercial/industrial purposes or which have been rented/ leased or have been otherwise subject to non-household/non-domestic use.
- Without valid warranty card or the purchasing invoice.
- Free return/replacement/repair period has expired.
- 11. If the defectiveness has been confirmed by REHAU or its authorized service provider, the freight cost will be paid by REHAU. Otherwise, the cost will be paid by the Customer.
- 12. REHAU obligations are limited to the repair and replacement of defective product. Except as set forth above, there are no other express or implied warranties and all warranties, conditions or other items implied by statute or common law are excluded to the fullest extent permitted by law.
- 13. REHAU total liability for damages relating to or arising out of the purchase or use of the Product regardless of the type or cause of such damage of the form of characterization of the claim asserted (e.g. contract or tort) shall not exceed the original purchase price paid for the Product.

However in no event shall REHAU, REHAU's affiliated companies, REHAU's authorized retailers be liable for any punitive, special incidental, indirect or consequential losses or damages whatsoever (including without limitation, damages for lost revenue, business, profits, goodwill or contracts, business interruption, loss of business information or any other pecuniary loss), whether or not REHAU has been advised of the possibility of such damages. These limitations shall apply notwithstanding the failure of the essential purpose of any limited warranty. This limited warranty does not affect the Consumer's statutory rights under law.

No carrier, retailer, agent, dealer or employee thereof is authorised to make modifications to this Limited Warranty and you should not reply on any such representation. REHAU reserves the right to amend the terms and conditions if necessary.

11

Product name: BREATHE 2 Model number: KJ700G-R01

REHAU Polymers (Suzhou) Co.,Ltd No.112 North Dongcang Road, Taicang Economic Development Area, Jiangsu, China

Customer Service Hotline: 400-828-4066

User Manual revision: BREATHE2 User Manual Print EN-Rev05

12

BREATHE2_User_Manual_Print_EN_Rev 05_2018.11.07.indd 11-12